

posts

- [Use Finnhub API data with Plotly Library for Python](#)

Use Finnhub API data with Plotly Library for Python

Technical Summary of Jupyter Notebook for Stock Data Analysis

Setting Up the Environment

- **Imports:** Essential libraries are imported:
- **plotly** for interactive plotting.
- **pandas** for data manipulation.
- **jproperties** for configuration management.
- **finnhub** to access Finnhub's API.
- **datetime** for handling date and time data.

```
pip install panda plotly jproperties
```

```
Requirement already satisfied: panda in /opt/conda/lib/python3.10/site-packages (0.3.1)
```

```
Requirement already satisfied: plotly in /opt/conda/lib/python3.10/site-packages (5.22.0)
```

```
Requirement already satisfied: jproperties in /opt/conda/lib/python3.10/site-packages (2.1.1)
```

```
Requirement already satisfied: setuptools in /opt/conda/lib/python3.10/site-packages (from panda) (67.7.2)
```

```
Requirement already satisfied: requests in /opt/conda/lib/python3.10/site-packages (from panda) (2.31.0)
```

```
Requirement already satisfied: tenacity>=6.2.0 in /opt/conda/lib/python3.10/site-packages (from plotly) (8.2.2)
```

```
Requirement already satisfied: packaging in /opt/conda/lib/python3.10/site-packages (from plotly) (23.1)
```

```
Requirement already satisfied: six~=1.13 in /opt/conda/lib/python3.10/site-packages (from jproperties) (1.16.0)
```

```
Requirement already satisfied: charset-normalizer<4,>=2 in /opt/conda/lib/python3.10/site-packages (from requests->panda) (3.1.0)
```

```
Requirement already satisfied: idna<4,>=2.5 in /opt/conda/lib/python3.10/site-packages (from requests->panda) (3.4)
```

```
Requirement already satisfied: urllib3<3,>=1.21.1 in /opt/conda/lib/python3.10/site-packages (from requests->panda) (2.0.2)
```

```
Requirement already satisfied: certifi>=2017.4.17 in /opt/conda/lib/python3.10/site-packages (from requests->panda) (2023.5.7)
```

```
Note: you may need to restart the kernel to use updated packages
```

```
pip install finnhub-python
```

```
Collecting finnhub-python
```

```
  Downloading finnhub_python-2.4.19-py3-none-any.whl (11 kB)
```

```
Requirement already satisfied: requests>=2.22.0 in /opt/conda/lib/python3.10/site-packages (from finnhub-python) (2.31.0)
```

```
Requirement already satisfied: charset-normalizer<4,>=2 in /opt/conda/lib/python3.10/site-packages (from requests>=2.22.0->finnhub-python) (3.1.0)
```

```
Requirement already satisfied: idna<4,>=2.5 in /opt/conda/lib/python3.10/site-packages (from requests>=2.22.0->finnhub-python) (3.4)
```

```
Requirement already satisfied: urllib3<3,>=1.21.1 in /opt/conda/lib/python3.10/site-packages (from requests>=2.22.0->finnhub-python) (2.0.2)
```

```
Requirement already satisfied: certifi>=2017.4.17 in /opt/conda/lib/python3.10/site-packages (from requests>=2.22.0->finnhub-python) (2023.5.7)
```

```
Installing collected packages: finnhub-python
```

```
Successfully installed finnhub-python-2.4.19
```

```
Note: you may need to restart the kernel to use updated packages.
```

▼ Load Properties

```
[2]: # Initialize from property file
      configs = Properties()

      with open('fh_analyst_trends.properties', 'rb') as config_file:
          configs.load(config_file)

      TICKER = configs.get('TICKER').data
      API_KEY = configs.get('FH_API_KEY').data
      TEMPLATE = configs.get('TEMPLATE').data
```

Load Data

```
[3]: # Setup client
      finnhub_client = finnhub.Client(api_key=API_KEY)

      # Stock recommendations
      res = finnhub_client.recommendation_trends(TICKER)

      #Convert to Pandas Dataframe
      df = pd.DataFrame(res)
      df
```

```
[3]:
```

	buy	hold	period	sell	strongBuy	strongSell	symbol
0	36	5	2024-05-01	0	22	0	NVDA
1	36	5	2024-04-01	0	22	0	NVDA
2	35	5	2024-03-01	0	21	0	NVDA
3	33	5	2024-02-01	0	20	0	NVDA

Utility method to convert date to month year format

```
[4]: # Apply this method to convert dates to month year format
def add_month_year_col(x):
    date_obj = datetime.datetime.strptime(x, '%Y-%m-%d')
    return date_obj.strftime('%b') + ' ' + date_obj.strftime('%y')
```

▼ Add label column

```
[5]: df['label'] = df['period'].apply(add_month_year_col)
df
```

```
[5]:
```

	buy	hold	period	sell	strongBuy	strongSell	symbol	label
0	36	5	2024-05-01	0	22	0	NVDA	May 24
1	36	5	2024-04-01	0	22	0	NVDA	Apr 24
2	35	5	2024-03-01	0	21	0	NVDA	Mar 24
3	33	5	2024-02-01	0	20	0	NVDA	Feb 24

Sort by period

```
[6]: # Sort by dates - we plot chart in ascending order
df = df.sort_values('period')
df
```

```
[6]:
```

	buy	hold	period	sell	strongBuy	strongSell	symbol	label
3	33	5	2024-02-01	0	20	0	NVDA	Feb 24
2	35	5	2024-03-01	0	21	0	NVDA	Mar 24
1	36	5	2024-04-01	0	22	0	NVDA	Apr 24
0	36	5	2024-05-01	0	22	0	NVDA	May 24

Plot Analyst Trends


```
# Create bar charts
fig = go.Figure(data=[
    go.Bar(name='Strong Sell', x=df.label, y=df.strongSell, text=df.strongSell, marker_color='darkred'),
    go.Bar(name='Sell', x=df.label, y=df.sell, text=df.sell, marker_color='indianred'),
    go.Bar(name='Hold', x=df.label, y=df.hold, text=df.hold, marker_color='orange'),
    go.Bar(name='Buy', x=df.label, y=df.buy, text=df.buy, marker_color='#2ECC71'),
    go.Bar(name='Strong Buy', x=df.label, y=df.strongBuy, text=df.strongBuy, marker_color='forestgreen')
])

# Layout for the plot
layout = go.Layout(
    template=TEMPLATE,
    title=TICKER + ' - Recommendation Trends',
    # Stack bar
    barmode='stack',
    width=700, height=600,
    uniformtext=dict(
        minsize=10,
        mode='hide'
    ),
    xaxis=dict(
        tickfont_size=12
    ),
    yaxis=dict(
        title='# Analysts',
        titlefont_size=16,
        tickfont_size=12,
    ),
    # Horizontal ledger
    legend=dict(
        orientation="h"
    ),
    font=dict(
        size=12
    )
)
fig.update_layout(layout)

# Zero angle for the text inside bar and set the width between bars
fig.update_traces(textangle=0, width=0.5)

fig.show()
```

NVDA - Recommendation Trends



Compute the Ratings

Reference: [Understanding Buy, Sell, and Hold Ratings of Stock Analysts](#)

```
[9]: df['rating'] = round((df.strongBuy * 1 + df.buy * 2 + df.hold * 3 + df.sell * 4 + df.strongSell * 5)
      / (df.strongBuy + df.buy + df.hold + df.sell + df.strongSell),2)
df
```

```
[9]:
```

	buy	hold	period	sell	strongBuy	strongSell	symbol	label	rating
3	33	5	2024-02-01	0	20	0	NVDA	Feb 24	1.74
2	35	5	2024-03-01	0	21	0	NVDA	Mar 24	1.74
1	36	5	2024-04-01	0	22	0	NVDA	Apr 24	1.73
0	36	5	2024-05-01	0	22	0	NVDA	May 24	1.73

Utility method to add an horizontal line

```
10]: # Adds a horizontal dotted line with given annotation text in color
def add_hline(fig, pos, color, text):
    fig.add_hline(y=pos, line_color=color, line_dash='dot',
                  annotation_text=text, annotation_position='top right', annotation_font_size=8, annotation_font_color=cc
```

Plot Ratings

```
[11]: fig = go.Figure()
# Add horizontal lines
add_hline(fig, 5, 'darkred', 'Strong Sell')
add_hline(fig, 4, 'indianred', 'Sell')
add_hline(fig, 3, 'orange', 'Hold')
add_hline(fig, 2, '#2ECC71', 'Buy')
add_hline(fig, 1, 'forestgreen', 'Strong Buy')

# Plot the scores
fig.add_trace(go.Scatter(x=df.label, y=df.rating, name='Rating', showlegend=True,
                        mode='lines+markers+text', text=df.rating))

layout=go.Layout(
    template=TEMPLATE,
    title=TICKER + ' - Recommendation Rating Score',
    xaxis=dict(
        tickfont_size=12
    ),
    width=600, height=500,
    yaxis=dict(
        title='Rating',
        titlefont_size=16,
        tickfont_size=12,
        # Set our own range for y axis
        range=[0,5]
    ),
    legend=dict(
        orientation="h"
    ),
    font=dict(
        size=10
    )
)
fig.update_layout(layout)

fig.show()
```



Files

- Jupyter Notebook file :
- Config File :

Source: <https://medium.com/@sugath.mudali/plot-recommendation-trends-from-finnhub-using-plotly-library-for-python-6487a9c9e4ec>