posts

- Use Finnhub API data with Plotly Library for Python

Use Finnhub API data with Plotly Library for Python

Technical Summary of Jupyter Notebook for Stock Data Analysis

Setting Up the Environment

- **Imports**: Essential libraries are imported:
- **plotly** for interactive plotting.
- **pandas** for data manipulation.
- **jproperties** for configuration management.
- **finnhub** to access Finnhub's API.
- **datetime** for handling date and time data.

```
pip install panda plotly jproperties


Requirement already satisfied: panda in /opt/conda/lib/python3.10/site-packages (0.3.1)
Requirement already satisfied: plotly in /opt/conda/lib/python3.10/site-packages (5.22.0)
Requirement already satisfied: jproperties in /opt/conda/lib/python3.10/site-packages (2.1.1)
Requirement already satisfied: setuptools in /opt/conda/lib/python3.10/site-packages (from
panda) (67.7.2)
Requirement already satisfied: requests in /opt/conda/lib/python3.10/site-packages (from
panda) (2.31.0)
Requirement already satisfied: tenacity>=6.2.0 in /opt/conda/lib/python3.10/site-packages
(from plotly) (8.2.2)
Requirement already satisfied: packaging in /opt/conda/lib/python3.10/site-packages (from
plotly) (23.1)
Requirement already satisfied: six~=1.13 in /opt/conda/lib/python3.10/site-packages (from
jproperties) (1.16.0)
Requirement already satisfied: charset-normalizer<4,>=2 in /opt/conda/lib/python3.10/site-
packages (from requests->panda) (3.1.0)
Requirement already satisfied: idna<4,>=2.5 in /opt/conda/lib/python3.10/site-packages (from
requests->panda) (3.4)
Requirement already satisfied: urllib3<3,>=1.21.1 in /opt/conda/lib/python3.10/site-packages
```

```
(from requests->panda) (2.0.2)
Requirement already satisfied: certifi>=2017.4.17 in /opt/conda/lib/python3.10/site-packages
(from requests->panda) (2023.5.7)
Note: you may need to restart the kernel to use updated packages
```

```
pip install finnhub-python

Collecting finnhub-python
  Downloading finnhub_python-2.4.19-py3-none-any.whl (11 kB)
Requirement already satisfied: requests>=2.22.0 in /opt/conda/lib/python3.10/site-packages
(from finnhub-python) (2.31.0)
Requirement already satisfied: charset-normalizer<4,>=2 in /opt/conda/lib/python3.10/site-
packages (from requests>=2.22.0->finnhub-python) (3.1.0)
Requirement already satisfied: idna<4,>=2.5 in /opt/conda/lib/python3.10/site-packages (from
requests>=2.22.0->finnhub-python) (3.4)
Requirement already satisfied: urllib3<3,>=1.21.1 in /opt/conda/lib/python3.10/site-packages
(from requests>=2.22.0->finnhub-python) (2.0.2)
Requirement already satisfied: certifi>=2017.4.17 in /opt/conda/lib/python3.10/site-packages
(from requests>=2.22.0->finnhub-python) (2023.5.7)
Installing collected packages: finnhub-python
Successfully installed finnhub-python-2.4.19
Note: you may need to restart the kernel to use updated packages.
```

Load Properties

[2]:
```
# Initialize from property file
configs = Properties()

with open('fh_analyst_trends.properties', 'rb') as config_file:
     configs.load(config_file)

TICKER = configs.get('TICKER').data
API_KEY = configs.get('FH_API_KEY').data
TEMPLATE  = configs.get('TEMPLATE').data
```

Load Data

[3]:
```
# Setup client
finnhub_client = finnhub.Client(api_key=API_KEY)

# Stock recommendations
res = finnhub_client.recommendation_trends(TICKER)

#Convert to Pandas Dataframe
df = pd.DataFrame(res)
df
```

[3]:

	buy	hold	period	sell	strongBuy	strongSell	symbol
0	36	5	2024-05-01	0	22	0	NVDA
1	36	5	2024-04-01	0	22	0	NVDA
2	35	5	2024-03-01	0	21	0	NVDA
3	33	5	2024-02-01	0	20	0	NVDA

Utility method to convert date to month year format

[4]:
```
# Apply this method to convert dates to month year format
def add_month_year_col(x):
    date_obj = datetime.datetime.strptime(x, '%Y-%m-%d')
    return date_obj.strftime('%b') + ' ' + date_obj.strftime('%y')
```

Add label column

[5]:
```
df['label'] = df['period'].apply(add_month_year_col)
df
```

[5]:

	buy	hold	period	sell	strongBuy	strongSell	symbol	label
0	36	5	2024-05-01	0	22	0	NVDA	May 24
1	36	5	2024-04-01	0	22	0	NVDA	Apr 24
2	35	5	2024-03-01	0	21	0	NVDA	Mar 24
3	33	5	2024-02-01	0	20	0	NVDA	Feb 24

Sort by period

[6]:
```
# Sort by dates - we plot chart in ascending order
df = df.sort_values('period')
df
```

[6]:


	buy	hold	period	sell	strongBuy	strongSell	symbol	label
3	33	5	2024-02-01	0	20	0	NVDA	Feb 24
2	35	5	2024-03-01	0	21	0	NVDA	Mar 24
1	36	5	2024-04-01	0	22	0	NVDA	Apr 24
0	36	5	2024-05-01	0	22	0	NVDA	May 24

Plot Analyst Trends

```
# Create bar charts
fig = go.Figure(data=[
    go.Bar(name='Strong Sell', x=df.label, y=df.strongSell, text=df.strongSell, marker_color='darkred'),
    go.Bar(name='Sell', x=df.label, y=df.sell, text=df.sell, marker_color='indianred'),
    go.Bar(name='Hold', x=df.label, y=df.hold, text=df.hold, marker_color='orange'),
    go.Bar(name='Buy', x=df.label, y=df.buy, text=df.buy, marker_color='#2ECC71'),
    go.Bar(name='Strong Buy', x=df.label, y=df.strongBuy, text=df.strongBuy, marker_color='forestgreen')
])
# Layout for the plot
layout = go.Layout(
    template=TEMPLATE,
    title=TICKER + ' - Recommendation Trends',
    # Stack bar
    barmode='stack',
    width=700, height=600,
    uniformtext=dict(
        minsize=10,
        mode='hide'
    ),
    xaxis=dict(
        tickfont_size=12
    ),
    yaxis=dict(
        title='# Analysts',
        titlefont_size=16,
        tickfont_size=12,
    ),
    # Horizontal ledger
    legend=dict(
        orientation="h"
    ),
    font=dict(
        size=12
    )
)
fig.update_layout(layout)

# Zero angle for the text inside bar and set the width between bars
fig.update_traces(textangle=0, width=0.5)

fig.show()
```


NVDA - Recommendation Trends
Analysts
60
50
40
30
20
10
0
20
21
22
22
33
35
36
36
5
5
5
5
Feb 24
Mar 24
Apr 24
May 24
Strong Buy
Buy
Hold
Sell
Strong Sell

Compute the Ratings

Reference:Understanding Buy, Sell, and Hold Ratings of Stock Analysts

[9]:
```
df['rating'] = round((df.strongBuy * 1 + df.buy * 2 + df.hold * 3 + df.sell * 4 + df.strongSell * 5)
                     / (df.strongBuy + df.buy + df.hold + df.sell + df.strongSell),2)
df
```

[9]:

	buy	hold	period	sell	strongBuy	strongSell	symbol	label	rating
3	33	5	2024-02-01	0	20	0	NVDA	Feb 24	1.74
2	35	5	2024-03-01	0	21	0	NVDA	Mar 24	1.74
1	36	5	2024-04-01	0	22	0	NVDA	Apr 24	1.73
0	36	5	2024-05-01	0	22	0	NVDA	May 24	1.73

Utlity method to add an horizontal line

10]:
```
# Adds a horizontal dotted line with given annotation text in color
def add_hline(fig, pos, color, text):
    fig.add_hline(y=pos, line_color=color, line_dash='dot',
                  annotation_text=text, annotation_position='top right', annotation_font_size=8, annotation_font_color=cc
```


Plot Ratings

[11]:
```
fig = go.Figure()
# Add horizontal lines
add_hline(fig, 5, 'darkred', 'Strong Sell')
add_hline(fig, 4, 'indianred', 'Sell')
add_hline(fig, 3, 'orange', 'Hold')
add_hline(fig, 2, '#2ECC71', 'Buy')
add_hline(fig, 1, 'forestgreen', 'Strong Buy')

# Plot the scores
fig.add_trace(go.Scatter(x=df.label, y=df.rating, name='Rating', showlegend=True,
                         mode='lines+markers+text', text=df.rating))

layout=go.Layout(
    template=TEMPLATE,
    title=TICKER + ' - Recommendation Rating Score',
    xaxis=dict(
        tickfont_size=12
    ),
    width=600, height=500,
    yaxis=dict(
        title='Rating',
        titlefont_size=16,
        tickfont_size=12,
        # Set our own range for y axis
        range=[0,5]
    ),
    legend=dict(
        orientation="h"
    ),
    font=dict(
        size=10
    )
)
fig.update_layout(layout)

fig.show()
```



Files

- Jupyler Notebook file :
- Config File :

Source: https://medium.com/@sugath.mudali/plot-recommendation-trends-from-finnhub-using-plotly-library-for-python-6487a9c9e4ec